ELSEVIER

Journal of Organometallic Chemistry 529 (1997) 473–474

Journal of Organometallic Chemistry

Author Index of Volume 529

Airola, K., 127
Alajarín, M., 121
Al Badri, A., 143
Albouy, D., 295
Antognazza, P., 445
Aoki, Y., 395
Armstrong, D.R., 29
Arques, A., 121

Bachrach, S.M., 15
Barluenga, J., 233
Barr, D., 29
Bartley, S.L., 343
Bartsch, R., 375
Becker, G., 177
Belsky, V.K., 171
Benincori, T., 445
Bergsträßer, U., 215
Berk, J.D., 135
Bernardinelli, G., 143
Bertrand, G., 79
Beziat, Y., 301
Bickelhaupt, F., 107
Bieger, K., 79, 233
Binger, P., 215
Böhringer, M., 177
Bond, M.R., 75
Boubekeur, K., 343
Bouhadir, G., 79
Bourumeau, K., 205
Braunstein, P., 387
Brenna, E., 445
Broschk, B., 177
Brown, J.M., 435
Bruckmann, J., 215
Brunel, J.-M., 285
Büchner, M., 103
Buono, G., 285

Caminade, A.-M., 51
Carrano, C.J., 75
Carré, F., 59
Catalano, V.J., 409
Cesarotti, E., 445
Charrier, C., 69
Chauvin, Y., 387
Chiodi, O., 285
Chuit, C., 59
Corriu, R.J.P., 59
Cowley, A.H., 75
Cristau, H.-J., 257, 301

Dahan, F., 79
Datsenko, S., 375
Davidson, M.G., 29
DeCian, A., 387, 395
Demartin, F., 445
Denis, J.-M., 205
Dennis, S.M., 75
Driess, M., 313
Dunbar, K.R., 343

Ebetino, F.H., 135
Etemad-Moghadam, G., 295

Faure, B., 285
Fischer, A.K., 361
Fischer, J., 387, 395
Fluck, E., 223
Fotiadu, F., 285
Fourmigué, M., 343
Fronczek, F.R., 197

García-Granda, S., 233
Gasc, M.-B., 301
Gaumont, A.-C., 205
Genêt, J.-P., 455
Geoffroy, M., 143
Gorbunowa, E., 223
Gornitzka, H., 79
Grobe, J., 177
Guéguen, C., 279

Heckmann, G., 223
Hegemann, M., 177
Hii, K.K., 35
Hitchcock, P.B., 243
Hobbold, M., 351
Hockless, D.C.R., 189
Huttner, G., 103
Hutton, G., 29

Ignatiev, N.V., 375
Inguimbert, N., 257

Jäger, L., 257
Jankowski, S., 23
Jeske, J., 351
Ji, H.-l., 395
Jochem, G., 87
Jolly, P.W., 107
Jones, P.G., 351, 361
Jouaiti, A., 143
Jugé, S., 455

Kaloun, E.B., 455
Kamepalli, S., 75
Kaminski, O., 329
Karsch, H.H., 151
Kee, T.P., 35
Kenney III, J.W., 395
Kishishita, M., 423
Klinger, C., 87
Klootwijk, A., 107
Koenig, M., 295
Krill, S., 197
Krüger, C., 215
Kruger, V., 465

Laing, J.C.P., 435
Lammertsma, K., 197
Lappert, M.F., 243
Launay, N., 51
Layh, M., 243
Leininger, S., 215
Le Van, D., 177
Li, B., 395
Livotto, P., 79
Lüth, B., 177

Maigrot, N., 69
Maitra, K., 409
Majoral, J.P., 51
Marinetti, A., 465
Mathey, F., 69
McCarty, B., 395
McDonald, M.A., 189
Mehdi, A., 59
Merdès, R., 455
Milosavljevic', E.B., 395
Miyoshi, K., 423
Mizuta, T., 423
Mohr, T., 379
Molina, P., 121
Müller, C., 375
Münchenberg, J., 361

Nakazawa, H., 423
Nelson, J.H., 395, 409
Neumann, B., 329
Nguyen, M.T., 3
Niecke, E., 127
Nief, F., 357
Nieger, M., 127
Nifantyev, E.E., 171
Nixon, J.F., 375
Nöth, H., 87

Elsevier Science S.A.

O'Brien, P., 29, 279
O'Leary, M.H., 23

Pabel, M., 189
Paneth, P., 23
Pickett, C.J., 375
Pietsch, J., 387
Pietschnig, R., 127
Pilati, T., 445
Pritzkow, H., 313

Quasdorff, B., 329
Quin, L.D., 23

Rasadkina, E.N., 171
Réau, R., 79
Regitz, M., 215
Reyé, C., 59
Ricard, L., 357, 465
Robl, C., 87
Ruthe, F., 351

Salzner, U., 15
Samadi, M., 267
Sánchez-Andrada, P., 121
Sannicolò, F., 445
Santiago-García, R., 233
Savignac, P., 267
Scherer, O.J., 379
Schier, A., 323
Schmidbaur, H., 323
Schmidpeter, A., 87
Schmidt, D., 197
Schmutzler, R., 361
Sigl, M., 323
Snaith, R., 29
Solujic', L., 395
Spek, A.L., 107
Stammler, H.-G., 329
Stash, A.I., 171
Streubel, R., 351

Taillefer, M., 257
Thönnessen, H., 361
Thornton-Pett, M., 35
Tomás, M., 233
Trimarco, L., 445

Uzelmeier, C.E., 343
Uziel, J., 455

Van der Sluis, M., 107
Van Keer, A., 3
Vanquickenborne, L.G., 3
Vasyanina, L.K., 171
Veldman, N., 107
Vidal, A., 121
Vinader, M.V., 121
Vinatoru, M., 295

Walter, O., 103
Wang, B., 197
Wang, C., 395
Warren, S., 29, 279
Waschbüsch, R., 267
Weber, L., 329
Weller, F., 223
Westerhausen, M., 223
Whitnall, M.R., 35
Wild, S.B., 189
Winkler, U., 313
Wit, J.B.M., 107
Witt, E., 151
Wolmershäuser, G., 379
Würthwein, E.-U., 177
Wyatt, P., 279

Yamaguchi, Y., 423
Yangkou Mbianda, X., 301
Yoshinaga, S., 423

Zotti, G., 445

ELSEVIER

Journal of Organometallic Chemistry 529 (1997) 475–482

Journal of Organometallic Chemistry

Subject Index of Volume 529

Ab initio calculations
Experimental and molecular orbital calculational study of the stereoselective Horner–Wittig reaction with phosphine oxides: control of stereoselectivity by lithium (D.R. Armstrong, D. Barr, M.G. Davidson, G. Hutton, P. O'Brien, R. Snaith and S. Warren), 29
Ab intio
Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways (U. Salzner and S.M. Bachrach), 15
Acetals
New chiral phosphetanes: synthesis and use in the palladium-catalyzed allylic alkylation (A. Marinetti, V. Kruger and L. Ricard), 465
Acylphosphane
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127
Aldehyde
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51
Alkene
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189
Alkenylphosphines
Synthesis and structure of cyclic phosphine–boranes (H. Schmidbaur, M. Sigl and A. Schier), 323
Alkylidenephosphane
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127
Alkyne
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189
Amidines
A stereoselective process for the preparation of novel phosphonoalkylphosphinates (F.H. Ebetino and J.D. Berk), 135
Aminocarbene complex
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351
Arsenide
New examples of lanthanide(II) phosphides and arsenides with planar coordination at the heteroatom: crystal structures of $[(Mesityl)_2P]_2Sm(THF)_4$ and of $[(Mesityl)_2As]_2Sm(THF)_4$ (F. Nief and L. Ricard), 357
Asymmetric synthesis
Asymmetric synthesis of (*S,S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455
Aza-allyl
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243
Azaphosphoranes
Synthesis of nickel phenyl complexes with new chelating κ^2-*P,N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387

Bis(azides)
An efficient preparation of macrocycles containing two tetra-coordinate phosphorus atoms (P. Molina, M. Alajarín, A. Arques, P. Sánchez-Andrada, A. Vidal and M.V. Vinader), 121
Biscycloalkylenephosphites
Resorcinol bis(cyclophosphites) (E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash), 171
Bis(phosphines)
An efficient preparation of macrocycles containing two tetra-coordinate phosphorus atoms (P. Molina, M. Alajarín, A. Arques, P. Sánchez-Andrada, A. Vidal and M.V. Vinader), 121
Bisphosphinic acids
A stereoselective process for the preparation of novel phosphonoalkylphosphinates (F.H. Ebetino and J.D. Berk), 135
Bisphosphonates
A stereoselective process for the preparation of novel phosphonoalkylphosphinates (F.H. Ebetino and J.D. Berk), 135
Bone affinity
A stereoselective process for the preparation of novel phosphonoalkylphosphinates (F.H. Ebetino and J.D. Berk), 135
Borabicyclononane
Synthesis and structure of cyclic phosphine–boranes (H. Schmidbaur, M. Sigl and A. Schier), 323
Borane
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285
1,2-Boraphosphacycloalkanes
Synthesis and structure of cyclic phosphine–boranes (H. Schmidbaur, M. Sigl and A. Schier), 323
Bromodifluorophosphonate
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267
Bromophosphaalkene
Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents (M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt, N. Veldman, A.L. Spek and P.W. Jolly), 107
tert-Butylphosphaacetylene
Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene (P. Binger, S. Leininger, M. Regitz, U. Bergsträßer, J. Bruckmann and C. Krüger), 215

Elsevier Science S.A.

Cage compound
Cleavage of an acyclic P_5 ligand into $P_4|P_1$ and $P_3|P_2$ molecular building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Carbene
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3
Carbonyls
N-(*N'*,*N'*,*N''*,*N''*-tetramethyl)guanidine-substituted phosphines as monodentate, bidentate or tridentate ligands in transition metal chemistry (J. Münchenberg, A.K. Fischer, H. Thönnessen, P.G. Jones and R. Schmutzler), 361
Cascade molecule
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51
Catalysis
Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series (T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati and G. Zotti), 445
New chiral phosphetanes: synthesis and use in the palladium-catalyzed allylic alkylation (A. Marinetti, V. Kruger and L. Ricard), 465
Chalcogenoxophosphonium halides
Bis(ylide)-substituted phosphenium and phosphonium halides (A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth), 87
(*P*,*N*)-chelates
Synthesis of nickel phenyl complexes with new chelating κ^2-*P*,*N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387
Chirality
Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups (J.M. Brown and J.C.P. Laing), 435
Chiral ligands
Asymmetric synthesis of (*S*,*S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455
Chlorophosphine
Asymmetric synthesis of (*S*,*S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455
Cluster
Cleavage of an acyclic P_5 ligand into $P_4|P_1$ and $P_3|P_2$ molecular building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Conformation
Conformational diastereoisomerism in *tris*-(2-alkylimino) triphenylphosphines (M.R. Whitnall, K.K. Hii, M. Thornton-Pett and T.P. Kee), 35
Coordination chemistry
Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2FeP{=}C(NMe_2)_2$, a versatile molecule in coordination chemistry (L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann), 329
Coordination geometry
N-(*N'*,*N'*,*N''*,*N''*-tetramethyl)guanidine-substituted phosphines as monodentate, bidentate or tridentate ligands in transition metal chemistry (J. Münchenberg, A.K. Fischer, H. Thönnessen, P.G. Jones and R. Schmutzler), 361
Crystal structure
Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks (M. Fourmigué, C.E. Uzelmeier, K. Boubekeur, S.L. Bartley and K.R. Dunbar), 343
Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series (T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati and G. Zotti), 445
Diphosphabenzenes V. 5,5'-(1,ω-Alkanediyl)-bis(λ^5-[1,3]diphosphinines). A new ethynyl-λ^5-[1,3]diphosphinine (E. Fluck, G. Heckmann, E. Gorbunowa, M. Westerhausen and F. Weller), 223
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189
Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions (A. Jouaiti, A. Al Badri, M. Geoffroy and G. Bernardinelli), 143
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243
Cuprate addition
Facile and stereoselective synthesis of vinylphosphonates (H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc), 301
[5 + 2] Cycloaddition
Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes (J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García), 233
Cycloaddition
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177
Cyclopentadienyl
Cleavage of an acyclic P_5 ligand into $P_4|P_1$ and $P_3|P_2$ molecular building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Cyclotriphosphazene
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51

Dendrimer
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51
Deuterium
Kinetic and isotope effect studies on the intermediacy of ethyl metathiophosphate in ethanolysis of O-ethyl N-1-adamantyl phosphoramidothioate (S. Jankowski, L.D. Quin, P. Paneth and M.H. O'Leary), 23
Diazaphosphinines
Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes (J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García), 233
Diels–Alder reaction
Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways (U. Salzner and S.M. Bachrach), 15
1,1-Difluoro-2-hydroxyphosphonate
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267

1,2-Dihydro-1,3-diphosphetes
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177
1,2-Dihydro-1,2-diphosphetes
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177
2-Diphenylphosphino-1,3-diphospholide ions
2-Diphenylphosphino-1,3-diphospholide anions (C. Charrier, N. Maigrot and F. Mathey), 69
1,3-Diphosphacyclopent-4-ene
2-Diphenylphosphino-1,3-diphospholide anions (C. Charrier, N. Maigrot and F. Mathey), 69
1,3-Diphospha-ferrocene
2-Diphenylphosphino-1,3-diphospholide anions (C. Charrier, N. Maigrot and F. Mathey), 69
Diphosphane
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197
Diphosphane tungsten complex
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197
Diphosphene
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127
Diphosphete
Diphosphabenzenes V. 5,5'-(1,ω-Alkanediyl)-bis(λ^5-[1,3]diphosphinines). A new ethynyl-λ^5-[1,3]diphosphinine (E. Fluck, G. Heckmann, E. Gorbunowa, M. Westerhausen and F. Weller), 223
Diphosphine
Molybdenum carbonyl complexes of di- and triphosphines: hydrophosphination reactions of $(HC{\equiv}CCH_2PPh_2)Mo(CO)_5$ (K. Maitra, V.J. Catalano and J.H. Nelson), 409
Diphosphines
Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series (T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati and G. Zotti), 445
Diphosphinines
Diphosphabenzenes V. 5,5'-(1,ω-Alkanediyl)-bis(λ^5-[1,3]diphosphinines). A new ethynyl-λ^5-[1,3]diphosphinine (E. Fluck, G. Heckmann, E. Gorbunowa, M. Westerhausen and F. Weller), 223
1,3-Diphospholide anions
2-Diphenylphosphino-1,3-diphospholide anions (C. Charrier, N. Maigrot and F. Mathey), 69
Dynamics
Conformational diastereoisomerism in *tris*-(2-alkylimino) triphenylphosphines (M.R. Whitnall, K.K. Hii, M. Thornton-Pett and T.P. Kee), 35

Electrochemistry
Electrochemical investigations on phospha ferrocenes (R. Bartsch, S. Datsenko, N.V. Ignatiev, C. Müller, J.F. Nixon and C.J. Pickett), 375
Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions (A. Jouaiti, A. Al Badri, M. Geoffroy and G. Bernardinelli), 143
Electron spin resonance
Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions (A. Jouaiti, A. Al Badri, M. Geoffroy and G. Bernardinelli), 143
Enantioselective
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285
Ethylene insertion
Synthesis of nickel phenyl complexes with new chelating κ^2-*P*,*N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387

Ferrocene
Asymmetric synthesis of (*S*,*S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127
Fizaphosphirene
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351
Fluorine
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3
Fluorophosphaalkene
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177
Functionalised triphenylphosphines
Conformational diastereoisomerism in *tris*-(2-alkylimino) triphenylphosphines (M.R. Whitnall, K.K. Hii, M. Thornton-Pett and T.P. Kee), 35

Grignard reagent
Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents (M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt, N. Veldman, A.L. Spek and P.W. Jolly), 107
Group 15
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51
Group 6
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351
Group 6 transition metal
Migratory insertion reaction of a phosphenium ligand into Mo– and W–alkyl bonds (H. Nakazawa, M. Kishishita, S. Yoshinaga, Y. Yamaguchi, T. Mizuta and K. Miyoshi), 423

Halogen
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphospho-

nate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267

Helical chirality
Conformational diastereoisomerism in *tris*-(2-alkylimino) triphenylphosphines (M.R. Whitnall, K.K. Hii, M. Thornton-Pett and T.P. Kee), 35

Heterocycles
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151
The versatile behavior of a 1,2λ^5-azaphosphete towards protic nucleophiles (G. Bouhadir, K. Bieger, P. Livotto, R. Réau, H. Gornitzka, F. Dahan and G. Bertrand), 79

Heterocyclic phosphines
Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series (T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati and G. Zotti), 445

Heteropolycycles
Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes (J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García), 233

Hexacoordinated phosphonium salt
N → P intramolecular stabilization of phosphenium ions and preparation of hypercoordinated phosphanes with unusual properties (F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé), 59

Homo-Diels–Alder reaction
Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene (P. Binger, S. Leininger, M. Regitz, U. Bergsträßer, J. Bruckmann and C. Krüger), 215

Horner–Wittig reaction
Experimental and molecular orbital calculational study of the stereoselective Horner–Wittig reaction with phosphine oxides: control of stereoselectivity by lithium (D.R. Armstrong, D. Barr, M.G. Davidson, G. Hutton, P. O'Brien, R. Snaith and S. Warren), 29

Hydriodic acid
Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}' (D. Albouy, G. Etemad-Moghadam, M. Vinatoru and M. Koenig), 295

Hydroboration
P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α′-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives (K. Bourumeau, A.-C. Gaumont and J.-M. Denis), 205
Synthesis and structure of cyclic phosphine–boranes (H. Schmidbaur, M. Sigl and A. Schier), 323

Hydrogenation
Facile and stereoselective synthesis of vinylphosphonates (H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc), 301
Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}' (D. Albouy, G. Etemad-Moghadam, M. Vinatoru and M. Koenig), 295

Hydrophosphination
Molybdenum carbonyl complexes of di- and triphosphines: hydrophosphination reactions of $(HC{\equiv}CCH_2PPh_2)Mo(CO)_5$ (K. Maitra, V.J. Catalano and J.H. Nelson), 409
P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α′-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives (K. Bourumeau, A.-C. Gaumont and J.-M. Denis), 205

α-Hydroxyalkylphosphine-boranes
P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α′-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives (K. Bourumeau, A.-C. Gaumont and J.-M. Denis), 205

Hypercoordinated phosphane
N → P intramolecular stabilization of phosphenium ions and preparation of hypercoordinated phosphanes with unusual properties (F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé), 59

Iminophosphane
Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes (R. Pietschnig, E. Niecke, M. Nieger and K. Airola), 127

Iminophosphoranes
Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes (J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García), 233

Iron
Cleavage of an acyclic P_5 ligand into P_4|P_1 and P_3|P_2 molecular building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Electrochemical investigations on phospha ferrocenes (R. Bartsch, S. Datsenko, N.V. Ignatiev, C. Müller, J.F. Nixon and C.J. Pickett), 375

Isocyanides
Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2FeP{=}C(NMe_2)_2$, a versatile molecule in coordination chemistry (L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann), 329

Isomerism
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351

Isomerization
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177

Isopropylmagnesium chloride
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267

Isotope effect
Kinetic and isotope effect studies on the intermediacy of ethyl metathiophosphate in ethanolysis of O-ethyl N-1-adamantyl phosphoramidothioate (S. Jankowski, L.D. Quin, P. Paneth and M.H. O'Leary), 23

Ketones
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285

Kinetic trap
Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions (C. Guéguen, P. O'Brien, S. Warren and P. Wyatt), 279

Lithiated phosphine oxides
Experimental and molecular orbital calculational study of the stereoselective Horner–Wittig reaction with phosphine oxides: control of stereoselectivity by lithium (D.R. Armstrong, D. Barr, M.G. Davidson, G. Hutton, P. O'Brien, R. Snaith and S. Warren), 29

Lithium
Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions (C. Guéguen, P. O'Brien, S. Warren and P. Wyatt), 279
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243

Macrocyclic bis(iminophosphoranes)
An efficient preparation of macrocycles containing two tetra-coordinate phosphorus atoms (P. Molina, M. Alajarín, A. Arques, P. Sánchez-Andrada, A. Vidal and M.V. Vinader), 121
Metal carbonyls
Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene (η^5-C_5Me_5)$(CO)_2$FeP=C$(NMe_2)_2$, a versatile molecule in coordination chemistry (L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann), 329
Metal–halogen exchange
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267
Metallocenes
Electrochemical investigations on phospha ferrocenes (R. Bartsch, S. Datsenko, N.V. Ignatiev, C. Müller, J.F. Nixon and C.J. Pickett), 375
Metallocomplexes
Resorcinol bis(cyclophosphites) (E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash), 171
Metallophosphaalkene
Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene (η^5-C_5Me_5)$(CO)_2$FeP=C$(NMe_2)_2$, a versatile molecule in coordination chemistry (L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann), 329
Metal phosphides
Synthesis of (fluorosilyl)phosphido iron and nickel complexes and ferriosilyl-substituted (fluorosilyl)phosphanes and evidence for the formation of a metallo phosphasilene of the type [M]–P=SiR_2 (M. Driess, H. Pritzkow and U. Winkler), 313
Metathiophosphate
Kinetic and isotope effect studies on the intermediacy of ethyl metathiophosphate in ethanolysis of O-ethyl N-1-adamantyl phosphoramidothioate (S. Jankowski, L.D. Quin, P. Paneth and M.H. O'Leary), 23
Microwave heating
Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}' (D. Albouy, G. Etemad-Moghadam, M. Vinatoru and M. Koenig), 295
Migratory insertion reaction
Migratory insertion reaction of a phosphenium ligand into Mo– and W–alkyl bonds (H. Nakazawa, M. Kishishita, S. Yoshinaga, Y. Yamaguchi, T. Mizuta and K. Miyoshi), 423
Molecular orbital calculations
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3
Molybdenum
Molybdenum carbonyl complexes of di- and triphosphines: hydrophosphination reactions of $(HC{\equiv}CCH_2PPh_2)Mo(CO)_5$ (K. Maitra, V.J. Catalano and J.H. Nelson), 409
Multiple bonds
Synthesis of (fluorosilyl)phosphido iron and nickel complexes and ferriosilyl-substituted (fluorosilyl)phosphanes and evidence for the formation of a metallo phosphasilene of the type [M]–P=SiR_2 (M. Driess, H. Pritzkow and U. Winkler), 313
N-15
Kinetic and isotope effect studies on the intermediacy of ethyl metathiophosphate in ethanolysis of O-ethyl N-1-adamantyl phosphoramidothioate (S. Jankowski, L.D. Quin, P. Paneth and M.H. O'Leary), 23
N-cyanophosphinimines
Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines (N. Inguimbert, L. Jäger, M. Taillefer and H.-J. Cristau), 257
Ni(II) phenyl complexes
Synthesis of nickel phenyl complexes with new chelating κ^2-*P*,*N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387
NMR
Diphosphabenzenes V. 5,5'-(1,ω-Alkanediyl)-bis[λ^5-[1,3]diphosphinines]. A new ethynyl-λ^5-[1,3]diphosphinine (E. Fluck, G. Heckmann, E. Gorbunowa, M. Westerhausen and F. Weller), 223
Neue Silicium- und Phosphor-haltige Käfigverbindungen mit Bicyclo[2.2.2]octan-Gerüst (O. Walter, M. Büchner und G. Huttner), 103
Nuclear magnetic resonance
Molybdenum carbonyl complexes of di- and triphosphines: hydrophosphination reactions of $(HC{\equiv}CCH_2PPh_2)Mo(CO)_5$ (K. Maitra, V.J. Catalano and J.H. Nelson), 409

Organophosphorus–borane complexes
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285
Oxazaphospholidine
Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups (J.M. Brown and J.C.P. Laing), 435
Oxazaphospholidines
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285

P-alkylation
P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α'-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives (K. Bourumeau, A.-C. Gaumont and J.-M. Denis), 205
Palladium
New chiral phosphetanes: synthesis and use in the palladium-catalyzed allylic alkylation (A. Marinetti, V. Kruger and L. Ricard), 465
Palladium catalysis
Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents (M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt, N. Veldman, A.L. Spek and P.W. Jolly), 107
Palladium complexes
Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series (T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati and G. Zotti), 445
P-P bond formation
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151
P–C bond activation
Synthesis of nickel phenyl complexes with new chelating κ^2-*P*,*N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387

Phosphaalkene
Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions (A. Jouaiti, A. Al Badri, M. Geoffroy and G. Bernardinelli), 143
Phosphaalkenes
Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents (M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt, N. Veldman, A.L. Spek and P.W. Jolly), 107
Phosphaalkynes
Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes (J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker, M. Böhringer and E.-U. Würthwein), 177
Phosphaketene
Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways (U. Salzner and S.M. Bachrach), 15
Phosphazenes
The versatile behavior of a 1,2λ^5-azaphosphete towards protic nucleophiles (G. Bouhadir, K. Bieger, P. Livotto, R. Réau, H. Gornitzka, F. Dahan and G. Bertrand), 79
Phosphenium halides
Bis(ylide)-substituted phosphenium and phosphonium halides (A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth), 87
Phosphenium ligand
Migratory insertion reaction of a phosphenium ligand into Mo– and W–alkyl bonds (H. Nakazawa, M. Kishishita, S. Yoshinaga, Y. Yamaguchi, T. Mizuta and K. Miyoshi), 423
Phosphetane
New chiral phosphetanes: synthesis and use in the palladium-catalyzed allylic alkylation (A. Marinetti, V. Kruger and L. Ricard), 465
Phosphetidine
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243
Phosphide
New examples of lanthanide(II) phosphides and arsenides with planar coordination at the heteroatom: crystal structures of $[(Mesityl)_2P]_2Sm(THF)_4$ and of $[(Mesityl)_2As]_2Sm(THF)_4$ (F. Nief and L. Ricard), 357
Phosphine
Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram (R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones), 351
Phosphine boranes
Asymmetric synthesis of (*S,S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455
Phosphine–boranes
Synthesis and structure of cyclic phosphine–boranes (H. Schmidbaur, M. Sigl and A. Schier), 323
Phosphines
Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks (M. Fourmigué, C.E. Uzelmeier, K. Boubekeur, S.L. Bartley and K.R. Dunbar), 343
Phosphinidene
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3
Phosphinocarbene complex
Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene $(\eta^5\text{-}C_5Me_4)(CO)_2FeP{=}C(NMe_2)_2$, a versatile molecule in coordination chemistry (L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann), 329
bis-(Phosphino)methanide ion
2-Diphenylphosphino-1,3-diphospholide anions (C. Charrier, N. Maigrot and F. Mathey), 69
Phosphinomethanides
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151
Phosphinophosphole
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197
Phosphinophosphole tungsten complex
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197
Phosphinyl guanidines
Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines (N. Inguimbert, L. Jäger, M. Taillefer and H.-J. Cristau), 257
Phosphiranium
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189
Phosphirenium
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189
Phosphole
[2 + 2] Photocycloadditions of $[(\eta^5\text{-}C_5H_5)Ru(DMPP)_2L]PF_6$ complexes (H.-l. Ji, J.H. Nelson, A. DeCian, J. Fischer, B. Li, C. Wang, B. McCarty, Y. Aoki, J.W. Kenney III, L. Solujic' and E.B. Milosavljevic'), 395
Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways (U. Salzner and S.M. Bachrach), 15
Phospholyl
A triphospholyl-substituted phosphine (A.H. Cowley, S.M. Dennis, S. Kamepalli, C.J. Carrano and M.R. Bond), 75
Phosphonates
Facile and stereoselective synthesis of vinylphosphonates (H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc), 301
Phosphonio guanidines
Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines (N. Inguimbert, L. Jäger, M. Taillefer and H.-J. Cristau), 257
Phosphonium salt
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243
Phosphonium ylides
Bis(ylide)-substituted phosphenium and phosphonium halides (A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth), 87
Phosphonoalkylphosphinates
A stereoselective process for the preparation of novel phosphonoalkylphosphinates (F.H. Ebetino and J.D. Berk), 135
Phosphorhydrazide
Synthesis of bowl-shaped dendrimers from generation 1 to generation 8 (N. Launay, A.-M. Caminade and J.P. Majoral), 51
Phosphoric acid
A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction (R. Waschbüsch, M. Samadi and P. Savignac), 267
Phosphorus
Cleavage of an acyclic P_5 ligand into P_4|P_1 and P_3|P_2 molecular

building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions (C. Guéguen, P. O'Brien, S. Warren and P. Wyatt), 279
Electrochemical investigations on phospha ferrocenes (R. Bartsch, S. Datsenko, N.V. Ignatiev, C. Müller, J.F. Nixon and C.J. Pickett), 375
Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups (J.M. Brown and J.C.P. Laing), 435
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3
The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry (P.B. Hitchcock, M.F. Lappert and M. Layh), 243
The versatile behavior of a 1,2λ^5-azaphosphete towards protic nucleophiles (G. Bouhadir, K. Bieger, P. Livotto, R. Réau, H. Gornitzka, F. Dahan and G. Bertrand), 79

Phosphorus chemistry
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197

Phosphorus (red)
Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}' (D. Albouy, G. Etemad-Moghadam, M. Vinatoru and M. Koenig), 295

Phosphorus stereochemistry
Asymmetric synthesis of (*S,S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene (E.B. Kaloun, R. Merdès, J.-P. Genêt, J. Uziel and S. Jugé), 455

Phosphorus ylides
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151
Synthesis of nickel phenyl complexes with new chelating κ^2-*P,N* ligands derived from α-iminoazatriphenylphosphoranes (P. Braunstein, J. Pietsch, Y. Chauvin, A. DeCian and J. Fischer), 387

Phosphorylation
Resorcinol bis(cyclophosphites) (E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash), 171

[2 + 2] Photocycloaddition
[2 + 2] Photocycloadditions of $[(\eta^5\text{-}C_5H_5)Ru(DMPP)_2L]PF_6$ complexes (H.-I. Ji, J.H. Nelson, A. DeCian, J. Fischer, B. Li, C. Wang, B. McCarty, Y. Aoki, J.W. Kenney III, L. Solujic' and E.B. Milosavljevic'), 395

Pincer ligand
N → P intramolecular stabilization of phosphenium ions and preparation of hypercoordinated phosphanes with unusual properties (F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé), 59

Polycyclic phosphorus–carbon compounds
Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene (P. Binger, S. Leininger, M. Regitz, U. Bergsträßer, J. Bruckmann and C. Krüger), 215

Polymers
Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks (M. Fourmigué, C.E. Uzelmeier, K. Boubekeur, S.L. Bartley and K.R. Dunbar), 343

Primary phosphine-boranes
P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α'-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives (K. Bourumeau, A.-C. Gaumont and J.-M. Denis), 205

Radical anion
Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions (A. Jouaiti, A. Al Badri, M. Geoffroy and G. Bernardinelli), 143

Rearrangement
Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes (J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García), 233

Rearrangements
The versatile behavior of a 1,2λ^5-azaphosphete towards protic nucleophiles (G. Bouhadir, K. Bieger, P. Livotto, R. Réau, H. Gornitzka, F. Dahan and G. Bertrand), 79

Redox reactions
Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles (H.H. Karsch and E. Witt), 151

Reduction
Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies (J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono), 285

Resorcinol
Resorcinol bis(cyclophosphites) (E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash), 171

Rhodium
Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks (M. Fourmigué, C.E. Uzelmeier, K. Boubekeur, S.L. Bartley and K.R. Dunbar), 343

Samarium
New examples of lanthanide(II) phosphides and arsenides with planar coordination at the heteroatom: crystal structures of $[(Mesityl)_2P]_2Sm(THF)_4$ and of $[(Mesityl)_2As]_2Sm(THF)_4$ (F. Nief and L. Ricard), 357

Silicon
Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions (C. Guéguen, P. O'Brien, S. Warren and P. Wyatt), 279

Silicon–phosphorus compounds
Synthesis of (fluorosilyl)phosphido iron and nickel complexes and ferriosilyl-substituted (fluorosilyl)phosphanes and evidence for the formation of a metallo phosphasilene of the type $[M]\text{–}P{=}SiR_2$ (M. Driess, H. Pritzkow and U. Winkler), 313

Silylene
The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers (M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne), 3

Small ring
Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts (D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild), 189

Sodium diphenylcyanamidophosphinates
Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines (N. Inguimbert, L. Jäger, M. Taillefer and H.-J. Cristau), 257

Solid supported reactions
Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}' (D. Albouy, G. Etemad-Moghadam, M. Vinatoru and M. Koenig), 295

Solvent effects on ^{31}P NMR
Bis(ylide)-substituted phosphenium and phosphonium halides (A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth), 87

Stabilized phosphenium ions
N → P intramolecular stabilization of phosphenium ions and preparation of hypercoordinated phosphanes with unusual properties (F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé), 59
Staudinger reaction
An efficient preparation of macrocycles containing two tetra-coordinate phosphorus atoms (P. Molina, M. Alajarín, A. Arques, P. Sánchez-Andrada, A. Vidal and M.V. Vinader), 121
Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways (U. Salzner and S.M. Bachrach), 15
Stereochemistry
Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions (C. Guéguen, P. O'Brien, S. Warren and P. Wyatt), 279
Stereoeselectivity
Experimental and molecular orbital calculational study of the stereoselective Horner–Wittig reaction with phosphine oxides: control of stereoselectivity by lithium (D.R. Armstrong, D. Barr, M.G. Davidson, G. Hutton, P. O'Brien, R. Snaith and S. Warren), 29
Stereoselective synthesis
Facile and stereoselective synthesis of vinylphosphonates (H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc), 301
Stereoselectivity
Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups (J.M. Brown and J.C.P. Laing), 435
Stille-coupling
Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents (M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt, N. Veldman, A.L. Spek and P.W. Jolly), 107

Tantalum
Cleavage of an acyclic P_5 ligand into $P_4|P_1$ and $P_3|P_2$ molecular building blocks (O.J. Scherer, T. Mohr and G. Wolmershäuser), 379
Tetraphosphine
A triphospholyl-substituted phosphine (A.H. Cowley, S.M. Dennis, S. Kamepalli, C.J. Carrano and M.R. Bond), 75
Tetrathiafulvalene
Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks (M. Fourmigué, C.E. Uzelmeier, K. Boubekeur, S.L. Bartley and K.R. Dunbar), 343
Thiophosphinyl guanidines
Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines (N. Inguimbert, L. Jäger, M. Taillefer and H.-J. Cristau), 257
Tin–phosphorus compounds
Synthesis of (fluorosilyl)phosphido iron and nickel complexes and ferriosilyl-substituted (fluorosilyl)phosphanes and evidence for the formation of a metallo phosphasilene of the type [M]–P=SiR_2 (M. Driess, H. Pritzkow and U. Winkler), 313
Transition metal chemistry
N-(*N'*,*N'*,*N''*,*N''*-tetramethyl)guanidine-substituted phosphines as monodentate, bidentate or tridentate ligands in transition metal chemistry (J. Münchenberg, A.K. Fischer, H. Thönnessen, P.G. Jones and R. Schmutzler), 361
1,3,5-Triphospha-Dewar-benzene
Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene (P. Binger, S. Leininger, M. Regitz, U. Bergsträßer, J. Bruckmann and C. Krüger), 215
Triphosphinosilane
Neue Silicium- und Phosphor-haltige Käfigverbindungen mit Bicyclo[2.2.2]octan-Gerüst (O. Walter, M. Büchner und G. Huttner), 103
Tripodal
Neue Silicium- und Phosphor-haltige Käfigverbindungen mit Bicyclo[2.2.2]octan-Gerüst (O. Walter, M. Büchner und G. Huttner), 103
Tri-*tert*-butylazete
Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene (P. Binger, S. Leininger, M. Regitz, U. Bergsträßer, J. Bruckmann and C. Krüger), 215

Vinylphosphonates
Facile and stereoselective synthesis of vinylphosphonates (H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc), 301

X-ray
Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups (J.M. Brown and J.C.P. Laing), 435
Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes (D. Schmidt, S. Krill, B. Wang, F.R. Fronczek and K. Lammertsma), 197
X-ray diffraction analysis
Resorcinol bis(cyclophosphites) (E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash), 171
X-ray structure
A triphospholyl-substituted phosphine (A.H. Cowley, S.M. Dennis, S. Kamepalli, C.J. Carrano and M.R. Bond), 75
X-ray structure investigations
Bis(ylide)-substituted phosphenium and phosphonium halides (A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth), 87